

2025 TOILET FIXTURES



(showroom furnitures & lighting fixtures)
Ground floor hausland building Salitran 4,
Dasmariñas Cavite

(warehouse toilet fixtures)
62 zenith st South Meridian Homes,
Salitran 4 Dasmariñas, Cavite



<https://modernopilipinas.com>

WELCOME TO OUR E-CATALOGUE

SMART TOILET
WALL HUNG
LUXURY TOILETS
BASINS
TOILET ACCESSORIES
SHOWERS
FAUCETS



HOW to order?

KNOW OUR PROCESS



CHOOSE A PRODUCT

save the photo
of the chosen
design

1

2

KNOW THE SIZE

Please check photo for the
sizes and we do also
customize the design such as
colors and patterns.

Lead time for pre-order items
are 6-8 WEEKS. Please check
before you order.

DESIGN CUSTOMIZATION

5 DELIVERY & INSTALLATION

INSTALLATION IS INCLUDED
DEPENDING ON THE
LOCATION

DELIVERY VIA LALAMOVE
AND OTHER FORWARDERS
WILL VARY DEPENDING ON
THE LOCATION.


3

CONTACT OUR SALES TEAM

facebook page: ModernoPilipinas

Email: modernopilipinas@gmail.com

Call or Viber: 0960-681-6219 / 0916-415-2202



4

INVOICE AND PAYMENTS

Invoice will be sent by our sales team.

Please pay only to our authorized payment options.

After acknowledgment of payment by our accounts
department, your orders will be processed by our
sales team.



LATEST DESIGNS
ALERT!

CUSTOMIZATION

CHOOSE THE COLOR &
DESIGN FOR YOUR
SMART TOILET.

ModernoPilipinas offers smart toilet custom-built to match your design vision. Whether Gold trims, matte black elegance or statement luxury designs Modernopilipinas can all do it for you. Choose from our variety of patterns that best suits your modern designs.



**Luxury
Latest
Design.**



**VIBRANT
COLORS
DESIGNS**

Automatic
Flip Lid

GOLD SERIES



Two golden lives.

INTELLIGENCE



BLACK
GOLD
PATTERN



WHITE GOLD FLORAL PATTERN




WHITE GOLD PATTERN




WHITE GOLD PATTERN





ARTISTIC PATTERN



ACTUAL INSTALLED LUXURY GOLD SERIES SMART TOILET



AFTER-SALE WORRY FREE

- 
-  The whole day through
 -  Feedback quickly
 -  Technology professional
 -  After-sale tracking



i12_{ys}


Exclusive patented product

No water
pressure limit

More intelligent, more considerate

THE BEAUTY OF DANGLING

New enjoy of technology



save space /easy clean /stable flush



Has passed the test of EN1717



- 58cm mini toilet
- Automatic open cover
- Foot sensor open seat
- Flush by foot sensor
- Side knob
- LED digital screen



ZL:2020301585867
PATENTED PRODUCT
NO INFRINGEMENT ALLOWED



T31


Product Name:Wall mounted smart toilet
Dimension:580x380x350mm
Drainage way:P-trap
Material:Ceramic/ABS Seat Cower
Heating:Instant

- | | | |
|---------------------------|---------------------------------|-----------------------------|
| 01.Female cleaning | 10.Seat heating | 19.Leakage protection |
| 02.Hip cleaning | 11.Drying | 20.Energy saving |
| 03.Mobile cleaning | 12.Wind temperature regulation | 21.Double filtration |
| 04.Massage cleaning | 13.Water temperature regulation | 22.12V safety voltage |
| 05.Self-cleaning nozzle | 14.Water-pressure adjust | 23.Anti-fouling glaze |
| 06.A key to stop | 15Automatic flush | 24.Flame retardant material |
| 07.Spray regulation | 16.Flush during power failure | 25.Side knob |
| 08.Heated water instantly | 17.Mute slow down | 26.English remote control |
| 09.Seat induction | 18.Night light | |

Basic vision:Open cover by manual Flush by foot sensor
Advanced vision:Double flip modes Open seat by foot induction Close cover automatically
Flushing by identify male urine

WALL MOUNTED SAMRT TOILET

Save room / clean easy / flush powerful



Two modes of
flushing buttons



English remote
control

one side knob
to operate



Has passed the test of EN1717



- 58cm mini toilet
- Automatic open cover
- Foot sensor open seat
- Flush by foot sensor
- Side knob
- LED digital screen



scan and watch



ZL:2020301585867
PATENTED PRODUCT
NO INFRINGEMENT ALLOWED



T3

Product Name:Wall mounted smart toilet
Dimension:580x380x350mm
Drainage way:P-trap
Material:Ceramic/ABS Seat Cower
Heating:Instant

- | | | |
|---------------------------|---------------------------------|-----------------------------|
| 01.Female cleaning | 10.Seat heating | 19.Leakage protection |
| 02.Hip cleaning | 11.Drying | 20.Energy saving |
| 03.Mobile cleaning | 12.Wind temperature regulation | 21.Double filtration |
| 04.Massage cleaning | 13.Water temperature regulation | 22.12V safety voltage |
| 05.Self-cleaning nozzle | 14.Water-pressure adjust | 23.Anti-fouling glaze |
| 06.A key to stop | 15.Automatic flush | 24.Flame retardant material |
| 07.Spray regulation | 16.Flush during power failure | 25.Side knob |
| 08.Heated water instantly | 17.Mute slow down | 26.English remote control |
| 09.Seat induction | 18.Night light | |
- Basic vision:Open cover by manual Flush by foot sensor
Advanced vision:Double flip modes Open seat by foot induction Close cover automatically
Flushing by identify male urine

Mini Size

58cm Length
Save more space



Mini smart toilet

Normal smart toilet

Has passed the test of EN1717



ZL:2020301585867
PATENTED PRODUCT
NO INFRINGEMENT ALLOWED

- 58cm mini toilet
- Automatic open cover
- Foot sensor open seat
- Flush by foot sensor
- Side knob
- LED digital screen



scan and watch

T4-S (Siphon flush)
T4-P (Wash down)
Product Name:Mini smart toilet
Dimension:580x380x450mm
Rough in:300/400mm
Material: Ceramic/ABS Seat Cover
Heating:Instant

- | | | |
|---------------------------|---------------------------------|-----------------------------|
| 01.Female cleaning | 10.Seat heating | 19.Night light |
| 02.Hip cleaning | 11.Drying | 20.Leakage protection |
| 03.Mobile cleaning | 12.Wind temperature regulation | 21.Energy saving |
| 04.Massage cleaning | 13.Water temperature regulation | 22.Double filtration |
| 05.Self-cleaning nozzle | 14.Water-pressure adjust | 23.Automatic deodorization |
| 06.A key to stop | 15.Glaze washing | 24.12V safety voltage |
| 07.Spray regulation | 16.Automatic flush | 25.Anti-fouling glaze |
| 08.Heated water instantly | 17.Flush during power failure | 26.Flame retardant material |
| 09.Seat induction | 18.Mute slow down | 27.English remote control |

Basic vision:Open cover by manual Flush by foot sensor
Advanced vision:Double flip modes Open seat by foot induction Close cover automatically
Flushing by identify male urine



ZL:2020301585867
PATENTED PRODUCT
NO INFRINGEMENT ALLOWED

- 58cm mini toilet
- Automatic open cover
- Foot sensor open seat
- Flush by foot sensor
- Side knob
- LED digital screen



scan and watch

T41-S (Siphon flush)
T41-P (Wash down)
Product Name:Mini smart toilet
Dimension:580x380x450mm
Rough in:300/400mm
Material: Ceramic/ABS Seat Cover
Heating:Instant

- | | | |
|---------------------------|---------------------------------|-----------------------------|
| 01.Female cleaning | 10.Seat heating | 19.Night light |
| 02.Hip cleaning | 11.Drying | 20.Leakage protection |
| 03.Mobile cleaning | 12.Wind temperature regulation | 21.Energy saving |
| 04.Massage cleaning | 13.Water temperature regulation | 22.Double filtration |
| 05.Self-cleaning nozzle | 14.Water-pressure adjust | 23.Automatic deodorization |
| 06.A key to stop | 15.Glaze washing | 24.12V safety voltage |
| 07.Spray regulation | 16.Automatic flush | 25.Anti-fouling glaze |
| 08.Heated water instantly | 17.Flush during power failure | 26.Flame retardant material |
| 09.Seat induction | 18.Mute slow down | 27.English remote control |

Basic vision:Open cover by manual Flush by foot sensor
Advanced vision:Double flip modes Open seat by foot induction Close cover automatically
Flushing by identify male urine

ENJOY INTELLIGENT

No afraid of low water pressure



Automatic open cover

Foot sensor open seat

Flush by foot sensor

Side knob

LED digital screen



scan and watch



T5 black

Product Name:Wall mounted smart toilet
Dimension:730x370x840mm
Drainage way:P-trap
Material:Ceramic/ABS Seat Cover
Heating:Instant

- 01.Female cleaning

02.Hip cleaning

03.Mobile cleaning

04.Massage cleaning

05.Self-cleaning nozzle

06.A key to stop

07.Spray regulation

08.Heated water instantly

09.Seat induction
- 10.Seat heating

11.Drying

12.Wind temperature regulation

13.Water temperature regulation

14.Water-pressure adjust

15Automatic flush

16.Flush during power failure

17.Mute slow down

18.Night light
- 19.Leakage protection

20.Energy saving

21.Double filtration

22.12V safety voltage

23.Anti-fouling glaze

24.Flame retardant material

25.Side knob

26.English remote control
- Basic vision:Open cover by manual

Flush by foot sensor

Advanced vision:Double flip modes

Open seat by foot induction

Close cover automatically

Flushing by identify male urine



Automatic open cover

Foot sensor open seat




Flush by foot sensor

Side knob

LED digital screen



scan and watch



T5 white

Product Name:Wall mounted smart toilet
Dimension:730x370x840mm
Drainage way:P-trap
Material:Ceramic/ABS Seat Cover
Heating:Instant

- 01.Female cleaning

02.Hip cleaning

03.Mobile cleaning

04.Massage cleaning

05.Self-cleaning nozzle

06.A key to stop

07.Spray regulation

08.Heated water instantly

09.Seat induction
- 10.Seat heating

11.Drying

12.Wind temperature regulation

13.Water temperature regulation

14.Water-pressure adjust

15Automatic flush

16.Flush during power failure

17.Mute slow down

18.Night light
- 19.Leakage protection

20.Energy saving

21.Double filtration

22.12V safety voltage

23.Anti-fouling glaze

24.Flame retardant material

25.Side knob

26.English remote control
- Basic vision:Open cover by manual

Flush by foot sensor

Advanced vision:Double flip modes

Open seat by foot induction

Close cover automatically

Flushing by identify male urine

CONTROL THE TOILET BY MOBILE PHONE



INTELLIGENT CONTROL




- No water pressure limit
- Automatic flip
- AI voice remind
- LED digital screen
- Side knob



scan and watch



Control by APP



ZL:202120308305.4
PATENTED PRODUCT
NO INFRINGEMENT ALLOWED



i12

Product Name:Smart Toilet
Dimension:680x400x560mm
Rough in:300/400mm
Material:Ceramic/ABS Seat Cower
Heating:Instant

- | | | |
|---------------------------|------------------------------------|-----------------------------|
| 01.Female cleaning | 11.Drying | 21.Energy saving |
| 02.Hip cleaning | 12.Wind temperature regulation | 22.Double filtration |
| 03.Mobile cleaning | 13.Water temperature regulation | 23.Automatic deodorization |
| 04.Massage cleaning | 14.Water-pressure adjust | 24.12V safety voltage |
| 05.Self-cleaning nozzle | 15.Automatic flush | 25.Anti-fouling glaze |
| 06.A key to stop | 16.Flush during power failure | 26.Flame retardant material |
| 07.Spray regulation | 17.Flushing by identify male urine | 27.English remote control |
| 08.Heated water instantly | 18.Mute slow down | 28.Double flip modes |
| 09.Seat induction | 19.Night light | |
| 10.Seat heating | 20.Leakage protection | |

WHY?

WHY CHOOSE 0 WATER PRESSURE!

No pulse valve failure

Don't worry about low water pressure

Avoid noise caused by high water pressure

Sunken Water Tank with Elegant appearance



Sunken Water Tank without water pressure limit



- No water pressure limit
- Open cover by radar automatic
- AI Voice broadcast
- LED indicating screen
- Knob operation key
- Dual user mode



scan and watch



Control by APP



luxury gold color



crystal green



black



Space silver



white



light blue



olive green


i11 Foot flush can be customized

Product Name:Smart Toilet
Dimension:680x400x560mm
Rough in:300/400mm
Material: Ceramic/ABS Seat Cover
Heating:Instant

- | | | |
|---------------------------|---------------------------------|------------------------------------|
| 01.Female cleaning | 11.Drying from heater | 21.Double filtration |
| 02.Hip cleaning | 12.Wind temperature regulation | 22.Automatic deodorization |
| 03.Mobile cleaning | 13.Water temperature regulation | 23.Smart cleaning glaze |
| 04.Massage cleaning | 14.Water-pressure adjust | 24.Flame retardant material |
| 05.Self-cleaning nozzle | 15.Automatic flush | 25.Power Memory |
| 06.A key to stop | 16.Flush during power failure | 26.12V safety voltage |
| 07.Spray regulation | 17.Mute slow down | 27.U-TOUCH |
| 08.Heated water instantly | 18.Night light | 28.ACC Fault voice broadcast |
| 09.Seat induction | 19.Leakage protection | 29.Flushing by identify male urine |
| 10.Seat heating | 20.Energy province electricity | 30.Double mode switch |

SUNKEN WATER TANK

No water pressure limit



- Automatic open cover
- Foot sensor open seat
- LED digital screen
- Side knob



scan and watch



ZL:2020307424612

PATENTED PRODUCT
NO INFRINGEMENT ALLOWED



V9



V9YS

V9/V9YS

Product Name:Smart Toilet
Dimension:V9(680x400x470mm)
V9YS(680x450x470mm)
Rough in:300/400mm
Material: Ceramic/ABS Seat Cower
Heating:Instant

- | | | |
|---------------------------|------------------------------------|-----------------------------|
| 01.Female cleaning | 11.Drying | 21.Leakage protection |
| 02.Hip cleaning | 12.Wind temperature regulation | 22.Energy saving |
| 03.Mobile cleaning | 13.Water temperature regulation | 23.Double filtration |
| 04.Massage cleaning | 14.Water-pressure adjust | 24.Automatic deodorization |
| 05.Self-cleaning nozzle | 15.Automatic flush | 25.12V safety voltage |
| 06.A key to stop | 16.Flush during power failure | 26.Anti-fouling glaze |
| 07.Spray regulation | 17.Flushing by identify male urine | 27.Flame retardant material |
| 08.Heated water instantly | 18.Foot sensor flush | 28.English remote control |
| 09.Seat induction | 19.Mute slow down | |
| 10.Seat heating | 20.Night light | |

V9:Double flip modes Open seat by foot induction
V9YS:Double flip modes Open seat by foot induction Sterilization cleaning

ACC FAULT VOICE REMIND

Test the situation of the toilet,
remind the fault when have any problem

Please deal with

CAUTION



- Automatic open cover
- Foot sensor open seat
- LED digital screen
- Side knob



scan and watch

ZL:2020307402596
PATENTED PRODUCT
NO INFRINGEMENT ALLOWED



V8



V8YS

V8/V8YS


Product Name:Smart Toilet
Dimension:V8(680x400x470mm)
V8YS(680x450x470mm)
Rough in:300/400mm
Material: Ceramic/ABS Seat Cower
Heating:Instant

- | | | |
|---------------------------|------------------------------------|-----------------------------|
| 01.Female cleaning | 11.Drying | 21.Leakage protection |
| 02.Hip cleaning | 12.Wind temperature regulation | 22.Energy saving |
| 03.Mobile cleaning | 13.Water temperature regulation | 23.Double filtration |
| 04.Massage cleaning | 14.Water-pressure adjust | 24.Automatic deodorization |
| 05.Self-cleaning nozzle | 15.Automatic flush | 25.12V safety voltage |
| 06.A key to stop | 16.Flush during power failure | 26.Anti-fouling glaze |
| 07.Spray regulation | 17.Flushing by identify male urine | 27.Flame retardant material |
| 08.Heated water instantly | 18.Foot sensor flush | 28.English remote control |
| 09.Seat induction | 19.Mute slow down | |
| 10.Seat heating | 20.Night light | |

V8:Double flip modes Open seat by foot induction
V8YS:Double flip modes Open seat by foot induction Sterilization cleaning

CUSTOMIZED DUAL MODES

Power Memory



Hip cleaning



Female cleaning



Stop/ Drying



- Automatic open cover
- Foot sensor open seat
- LED digital screen
- Close cover automatically



scan and watch



ZL:2020307259742

PATENTED PRODUCT
NO INFRINGEMENT ALLOWED



V6



V6YS

V6/V6YS

Product Name: Smart Toilet

Dimension: V6(680x400x470mm)

V6YS(680x450x470mm)

Rough in: 300/400mm

Material: Ceramic/ABS Seat Cover

Heating: Instant

- | | | |
|----------------------------|-------------------------------------|------------------------------|
| 01. Female cleaning | 11. Drying | 21. Leakage protection |
| 02. Hip cleaning | 12. Wind temperature regulation | 22. Energy saving |
| 03. Mobile cleaning | 13. Water temperature regulation | 23. Double filtration |
| 04. Massage cleaning | 14. Water-pressure adjust | 24. Automatic deodorization |
| 05. Self-cleaning nozzle | 15. Automatic flush | 25. 12V safety voltage |
| 06. A key to stop | 16. Flush during power failure | 26. Anti-fouling glaze |
| 07. Spray regulation | 17. Flushing by identify male urine | 27. Flame retardant material |
| 08. Heated water instantly | 18. Foot sensor flush | 28. English remote control |
| 09. Seat induction | 19. Mute slow down | |
| 10. Seat heating | 20. Night light | |

V6: Double flip modes Open seat by foot induction

V6YS: Double flip modes Open seat by foot induction Sterilization cleaning


ANTI-PROOF FOAM

No annoy about any splash


Generate rich fragrance foam on the surface of the inside toilet
Effectively prevent splashing,
odor volatilization and other problems



Effectively prevent
splashes



Foam locks in the bottom layer of water
Avoid splashing



Rich foam covering around the inside toilet
So that the excrement does not adhere to the toilet



- LED display
- Dual user mode
- One button knob
- AI Voice broadcast
- Radar detection flip
- Open cover by foot induction



scan and watch


ZL:201830682394.2
PATENTED PRODUCT
NO INFRINGEMENT ALLOWED



gold



sliver



Q9/i9

Product Name:Smart Toilet
Dimension:680x400x560mm
Rough in:300/400mm
Material: Ceramic/ABS Seat Cower
Heating:Instant

- | | | |
|--|---------------------------------|------------------------------------|
| 01.Female cleaning | 11.Warm air drying | 21.Power saving |
| 02.Hip cleaning | 12.Wind temperature regulation | 22.Double filtration |
| 03.Mobile cleaning | 13.Water temperature regulation | 23.Deodorization |
| 04.Massage cleaning | 14.Water pressure reguaign | 24.Power Memory |
| 05.Sef-cleaning nozzle | 15.Auto flush | 25.12V safety voltage |
| 06.One key slop | 16.Power failune flushing | 26.Anti-fouling glaze |
| 07.Self cleaning of bidet | 17.Mute slow down | 27.Flame retardant material |
| 08.Heated water instantly | 18.Night light | 28.English remole control |
| 09.Seat induction | 19.Instant heating | 29.Flushing by identify male urine |
| 10.Seat heating | 20.leakage protection | 30.ACC Automatic falut remind |
| i9:Sunken water tank and no water pressure limit/ No glaze washing | | 31.Two fip modes |

BLOCKED AUTO REBOUND

Innovative design, the cover plate is blocked and automatically rebounded to avoid the pinch injury of the elderly and children.
Flat muteSlow down design, various flap modes,
5 grades adjustment. The thinness of heaven, shaking the
worldIts beauty is as new as ever.

- Hindered Springback
- Silnt slow down
- Silm and integrated



- LED display
- Dual user mode
- One button knob
- AI Voice broadcast
- Radar detection flip
- Open cover by foot induction



ZL:201830770521.4
PATENTED PRODUCT
NO INFRINGEMENT ALLOWED



gold



sliver

Q10

Product Name:Smart Toilet
Dimension:680x420x570mm
Rough in:300/400mm
Material:Ceramic/ABS Seat Cover
Heating:Instant

- | | | |
|---------------------------|---------------------------------|------------------------------------|
| 01.Female cleaning | 11.Warm air drying | 21.Power saving |
| 02.Hip cleaning | 12.Wind temperature regulation | 22.Double filtration |
| 03.Mobile cleaning | 13.Water temperature regulation | 23.Deodorization |
| 04.Massage cleaning | 14.Water pressure reguaicn | 24.Power Memory |
| 05.Sef-cleaning nozzle | 15.Auto flush | 25.12V safety voltage |
| 06.One key slop | 16.Power failune flushing | 26.Anti-fouling glaze |
| 07.Self cleaning of bidet | 17.Mute slow down | 27.Flame retardant material |
| 08.Heated water instantly | 18.Night light | 28.English remole control |
| 09.Seat induction | 19.Instant heating | 29.Flushing by identify male urine |
| 10.Seat heating | 20.leakage protection | 30.ACC Automatic falut remind |
| | | 31.Two fip modes |

ONE BUTTON KNOB FOR ALL AGES

Convenient for the elderly and children Female cleaning, hip cleaning, flushing fuctions all in one knob

simple

One button knob
Easyoperation

Dazzle

Personalization

Extremely

Times of rotationUp
to100000 times



ZL:201830770521.4

PATENTED PRODUCT
NO INFRINGEMENT ALLOWED

• Seven colors light
Double users memory



- LED display
- Dual user mode
- One button knob
- AI Voice droadcast
- Radar detection flip
- Open cover by foot induction



scan and watch

Q8

Product Name:Smart Toilet
Dimension:670x410x490mm
Rough in:300/400mm
Material:Ceramic/ABS Seat Cover
Heating:Instant

- | | | |
|---------------------------|---------------------------------|--------------------------------------|
| 01.Female cleaning | 11.Warm air drying | 21.Power saving |
| 02.Hip cleaning | 12.Wind temperature regulation | 22.Double filtration |
| 03.Mobile cleaning | 13.Water temperature regulation | 23.Cleodcrization |
| 04.Massage cleaning | 14.Water pressure reguaign | 24.Power Memory |
| 05.Sef-cleaning nozzle | 15.Auto flush | 25.12V safety votage |
| 06.One key slop | 16.Power failune flushing | 26.Self-cleaning glaze |
| 07.Self cleaning of bidet | 17.Mute slow down | 27.Flame retardant material |
| 08.Heated water instantly | 18.Night light | 28.Intelligenl remole control |
| 09.Seat induction | 19.Instant heating | 29.Flushing by identify male urine |
| 10.Seat heating | 20.leakage protection | 30.ACC Automatic faut ident ilcation |
| | | 31.Two flip modes |



- Flush by foot sensor
- Automatic open cover
- LED digital screen

Product Name:Smart Toilet
Dimension:**33A**(680x400x560mm)
33BS(680x450x560mm)
Rough in:300/400mm
Material:Ceramic/ABS Seat Cover
Heating:Quickly heating



scan and watch


ZL:2020307766427
PATENTED PRODUCT
NO INFRINGEMENT ALLOWED



- AI voice remind
- Automatic open cover
- Open seat by foot sensor
- Flush by foot sensor
- Side knob
- LED digital screen

Product Name:Smart Toilet
Dimension:**35A**(680x400x560mm)
35BS(680x450x560mm)
Rough in:300/400mm
Material:Ceramic/ABS Seat Cover
Heating:Quickly heating



scan and watch




ZL:2020306770764
PATENTED PRODUCT
NO INFRINGEMENT ALLOWED


ZL:2020307749864
PATENTED PRODUCT
NO INFRINGEMENT ALLOWED



33A/33B

33PS



35A/35B

35YS

33A(Flush by foot sensor)
33B(Double flip modes)
33PS(Auto flip+Voice remind+
Foam washing)

- | | | |
|---------------------------|---------------------------------|-----------------------------|
| 01.Female cleaning | 10.Seat heating | 19.Night light |
| 02.Hip cleaning | 11.Drying | 20.Leakage protection |
| 03.Mobile cleaning | 12.Wind temperature regulation | 21.Energy saving |
| 04.Massage cleaning | 13.Water temperature regulation | 22.Double filtration |
| 05.Self-cleaning nozzle | 14.Water-pressure adjust | 23.12V safety voltage |
| 06.A key to stop | 15.Glaze washing | 24.Anti-fouling glaze |
| 07.Spray regulation | 16.Automatic flush | 25.Flame retardant material |
| 08.Heated water instantly | 17.Flush during power failure | 26.English remote control |
| 09.Seat induction | 18.Mute slow down | |

33A(Flush by foot sensor)
33B(Double flip modes)
33YS(Auto flip+Voice remind+
Sterilization-cleaning)

- | | | |
|---------------------------|---------------------------------|-----------------------------|
| 01.Female cleaning | 10.Seat heating | 19.Night light |
| 02.Hip cleaning | 11.Drying | 20.Leakage protection |
| 03.Mobile cleaning | 12.Wind temperature regulation | 21.Energy saving |
| 04.Massage cleaning | 13.Water temperature regulation | 22.Double filtration |
| 05.Self-cleaning nozzle | 14.Water-pressure adjust | 23.12V safety voltage |
| 06.A key to stop | 15.Glaze washing | 24.Anti-fouling glaze |
| 07.Spray regulation | 16.Automatic flush | 25.Flame retardant material |
| 08.Heated water instantly | 17.Flush during power failure | 26.English remote control |
| 09.Seat induction | 18.Mute slow down | |



32A (Flush by foot sensor)
32BS (Double flip modes)
Product Name:Mini smart toilet
Dimension:680x400x420mm
Rough in:300/400mm
Material:Ceramic/ABS Seat Cover
Heating:Quickly heating

- | | | |
|---------------------------|---------------------------------|-----------------------------|
| 01.Female cleaning | 10.Seat heating | 19.Night light |
| 02.Hip cleaning | 11.Drying | 20.Leakage protection |
| 03.Mobile cleaning | 12.Wind temperature regulation | 21.Energy saving |
| 04.Massage cleaning | 13.Water temperature regulation | 22.Double filtration |
| 05.Self-cleaning nozzle | 14.Water-pressure adjust | 24.12V safety voltage |
| 06.A key to stop | 15.Glaze washing | 25.Anti-fouling glaze |
| 07.Spray regulation | 16.Automatic flush | 26.Flame retardant material |
| 08.Heated water instantly | 17.Flush during power failure | 27.English remote control |
| 09.Seat induction | 18.Mute slow down | |
- 32A:Open cover by manual Flush by foot sensor
32BS:Double flip modes Open seat by foot sensor Close cover automatically
Flushing by identify male urine



i2 Foot flush can be customized
Product Name:Mini smart toilet
Dimension:680x400x560mm
Rough in:300/400mm
Material:Ceramic/ABS Seat Cover
Heating:Instant

- | | | |
|---------------------------|---------------------------------|------------------------------------|
| 01.Female cleaning | 11.Drying from heater | 21.Double filtration |
| 02.Hip cleaning | 12.Wind temperature regulation | 22.Automatic deodorization |
| 03.Mobile cleaning | 13.Water temperature regulation | 23.Smart cleaning glaze |
| 04.Massage cleaning | 14.Water-pressure adjust | 24.Flame retardant material |
| 05.Self-cleaning nozzle | 15.Automatic flush | 25.Power Memory |
| 06.A key to stop | 16.Flush during power failure | 26.12V safety voltage |
| 07.Spray regulation | 17.Mute slow down | 27.U-TOUCH |
| 08.Heated water instantly | 18.Night light | 28.Flushing by identify male urine |
| 09.Seat induction | 19.Leakage protection | 29.Double mode switch |
| 10.Seat heating | 20.Energy province electricity | |



i3 Foot flush can be customized
Product Name:Mini smart toilet
Dimension:680x400x560mm
Rough in:300/400mm
Material:Ceramic/ABS Seat Cover
Heating:Instant

- | | | |
|---------------------------|---------------------------------|------------------------------------|
| 01.Female cleaning | 11.Drying from heater | 21.Double filtration |
| 02.Hip cleaning | 12.Wind temperature regulation | 22.Automatic deodorization |
| 03.Mobile cleaning | 13.Water temperature regulation | 23.Smart cleaning glaze |
| 04.Massage cleaning | 14.Water-pressure adjust | 24.Flame retardant material |
| 05.Self-cleaning nozzle | 15.Automatic flush | 25.Power Memory |
| 06.A key to stop | 16.Flush during power failure | 26.12V safety voltage |
| 07.Spray regulation | 17.Mute slow down | 27.U-TOUCH |
| 08.Heated water instantly | 18.Night light | 28.Flushing by identify male urine |
| 09.Seat induction | 19.Leakage protection | 29.Double mode switch |
| 10.Seat heating | 20.Energy province electricity | |



i5 Foot flush can be customized
Product Name:Mini smart toilet
Dimension:680x400x560mm
Rough in:300/400mm
Material:Ceramic/ABS Seat Cover
Heating:Instant

- | | | |
|---------------------------|---------------------------------|------------------------------------|
| 01.Female cleaning | 11.Drying from heater | 21.Double filtration |
| 02.Hip cleaning | 12.Wind temperature regulation | 22.Automatic deodorization |
| 03.Mobile cleaning | 13.Water temperature regulation | 23.Smart cleaning glaze |
| 04.Massage cleaning | 14.Water-pressure adjust | 24.Flame retardant material |
| 05.Self-cleaning nozzle | 15.Automatic flush | 25.Power Memory |
| 06.A key to stop | 16.Flush during power failure | 26.12V safety voltage |
| 07.Spray regulation | 17.Mute slow down | 27.U-TOUCH |
| 08.Heated water instantly | 18.Night light | 28.Flushing by identify male urine |
| 09.Seat induction | 19.Leakage protection | 29.Double mode switch |
| 10.Seat heating | 20.Energy province electricity | |





ZL:202030337869.1

PATENTED PRODUCT
NO INFRINGEMENT ALLOWED

No water pressure limit

Open cover by radar automatic

LED indicating screen

Knob operation key



scan and watch









ZL:201630518770.5

PATENTED PRODUCT
NO INFRINGEMENT ALLOWED



LED display

Dual user mode

Foot deductive flushing



scan and watch





- i7

Foot flush can be customized

Product Name:Mini smart toilet
Dimension:680x400x560mm
Rough in:300/400mm
Material:Ceramic/ABS Seat Cover
Heating:Instant

01.Female cleaning

02.Hip cleaning

03.Mobile cleaning

04.Massage cleaning

05.Self-cleaning nozzle

06.A key to stop

07.Spray regulation

08.Heated water instantly

09.Seat induction

10.Seat heating

11.Drying from heater

12.Wind temperature regulation

13.Water temperature regulation

14.Water-pressure adjust

15.Automatic flush

16.Flush during power failure

17.Mute slow down

18.Night light

19.Leakage protection

20.Energy province electricity

21.Double filtration

22.Automatic deodorization

23.Smart cleaning glaze

24.Flame retardant material

25.Power Memory

26.12V safety voltage

27.U-TOUCH

28.Flushing by identify male urine

29.Double mode switch

- 6800/i68

Product Name:Smart Toilet
Dimension:680x400x530mm
Rough in:300/400mm
Material:Ceramic/ABS Seat Cover
Heating:Instant

01.Female cleaning

02.Hip cleaning

03.Mobile cleaning

04.Massage cleaning

05.Self-dearsing nozzle

06.One-bulton wash

07.Sitz Bath SPA

08.Cold and hol SPA

09.Help defecation

10.One key stop

11.Spray regulation

12.Heated water instantly

13.Sensor seat

14.Seat heating

15.Warm air drying

16.Wind temperature regulation

17.Water temperature regulation

18.Wall washing

19.Aulo flush

20.Flush during power failure

21.Instant heating

22.Mudte slow down

23.Night light

24.Leakage procleor

25.Power saving

26.Double filtration

27.Power Memory

28.12V safely vottage

29.Sell-cleaning gaze

30.Flame retarcantl materias

31.Intelligent renote control

32. ACC Automaric fault identificalion
- i68:Sunken water tank and no water pressure limit/ No glaze washing





ZL:202030290242.5

PATENTED PRODUCT
NO INFRINGEMENT ALLOWED

No water pressure limit

Open cover by radar automatic

LED indicating screen

Knob operation key



scan and watch









ZL:201630518770.5

PATENTED PRODUCT
NO INFRINGEMENT ALLOWED



LED display

Dual user mode

Foot deductive flushing



scan and watch





- i8

Foot flush can be customized

Product Name:Mini smart toilet
Dimension:680x400x560mm
Rough in:300/400mm
Material:Ceramic/ABS Seat Cover
Heating:Instant

01.Female cleaning

02.Hip cleaning

03.Mobile cleaning

04.Massage cleaning

05.Self-cleaning nozzle

06.A key to stop

07.Spray regulation

08.Heated water instantly

09.Seat induction

10.Seat heating

11.Drying from heater

12.Wind temperature regulation

13.Water temperature regulation

14.Water-pressure adjust

15.Automatic flush

16.Flush during power failure

17.Mute slow down

18.Night light

19.Leakage protection

20.Energy province electricity

21.Double filtration

22.Automatic deodorization

23.Smart cleaning glaze

24.Flame retardant material

25.Power Memory

26.12V safety voltage

27.U-TOUCH

28.Flushing by identify male urine

29.Double mode switch

- 6600/i66

Product Name:Smart Toilet
Dimension:680x400x530mm
Rough in:300/400mm
Material:Ceramic/ABS Seat Cover
Heating:Instant

01.Female cleaning

02.Hip cleaning

03.Mobile cleaning

04.Massage cleaning

05.Self-dearsing nozzle

06.One-bulton wash

07.Sitz Bath SPA

08.Cold and hol SPA

09.Help defecation

10.One key stop

11.Spray regulation

12.Heated water instantly

13.Sensor seat

14.Seat heating

15.Warm air drying

16.Wind temperature regulation

17.Water temperature regulation

18.Wall washing

19.Aulo flush

20.Flush during power failure

21.Instant heating

22.Mudte slow down

23.Night light

24.Leakage procleor

25.Power saving

26.Double filtration

27.Power Memory

28.12V safely vottage

29.Sell-cleaning gaze

30.Flame retarcantl materias

31.Intelligent renote control

32. ACC Automaric fault identificalion
- i66:Sunken water tank and no water pressure limit/ No glaze washing

LUXURY CERAMIC BASINS



LUXURY CERAMIC BASINS



LUXURY CERAMIC BASINS




G1078

艺术盆


尺寸: 400x370x150mm

台上安装







G611
艺术盆
尺寸: 610x350x110mm
台上安装




G612
艺术盆
尺寸: 610x350x110mm
台上安装




S613
艺术盆
尺寸: 610x350x110mm
台上安装




G611
艺术盆
尺寸: 610x350x110mm
台上安装




G612
艺术盆
尺寸: 610x350x110mm
台上安装




S613
艺术盆
尺寸: 610x350x110mm
台上安装




G614
艺术盆
尺寸: 620x360x160mm
台上安装




G615
艺术盆
尺寸: 410x410x145mm
台上安装




WG616
艺术盆
尺寸: 410x410x145mm
台上安装




G614
艺术盆
尺寸: 620x360x160mm
台上安装




G615
艺术盆
尺寸: 410x410x145mm
台上安装




WG616
艺术盆
尺寸: 410x410x145mm
台上安装




G617
艺术盆
尺寸: 400x330x145mm
台上安装




G618
艺术盆
尺寸: 425x425x140mm
台上安装




S619
艺术盆
尺寸: 455x320x135mm
台上安装




G617
艺术盆
尺寸: 400x330x145mm
台上安装




G618
艺术盆
尺寸: 425x425x140mm
台上安装




S619
艺术盆
尺寸: 455x320x135mm
台上安装




S620
艺术盆
尺寸: 560x415x145mm
台上安装




G621
艺术盆
尺寸: 500x350x110mm
台上安装




G622
艺术盆
尺寸: 415x415x135mm
台上安装




S620
艺术盆
尺寸: 560x415x145mm
台上安装



G621
艺术盆
尺寸: 500x350x110mm
台上安装




G622
艺术盆
尺寸: 415x415x135mm
台上安装







G623
艺术盆
尺寸: 360x360x115mm
台上安装




G624
艺术盆
尺寸: 300x300x150mm
台上安装




S625
艺术盆
尺寸: 500x400x135mm
台上安装




G381
艺术盆
尺寸: 500x400x135mm
台上安装




G382
艺术盆
尺寸: 460x460x155mm
台上安装




G383
艺术盆
尺寸: 480x370x130mm
台上安装




S626
艺术盆
尺寸: 400x400x135mm
台上安装




S627
艺术盆
尺寸: 455x320x135mm
台上安装




S628
艺术盆
尺寸: 520x380x130mm
台上安装




G384
艺术盆
尺寸: 590x410x170mm
台上安装




G385
艺术盆
尺寸: 600x400x155mm
台上安装




G386
艺术盆
尺寸: 600x400x150mm
台上安装




G629
艺术盆
尺寸: 490x310x140mm
台上安装




G630
艺术盆
尺寸: 610x350x110mm
台上安装




S631
艺术盆
尺寸: 580x390x115mm
台上安装




G387
艺术盆
尺寸: 400x400x155mm
台上安装




G388
艺术盆
尺寸: 500x395x145mm
台上安装




G389
艺术盆
尺寸: 560x420x145mm
台上安装




G632
艺术盆
尺寸: 580x390x115mm
台上安装




G633
艺术盆
尺寸: 410x410x135mm
台上安装




WG634
艺术盆
尺寸: 410x410x135mm
台上安装




G391
艺术盆
尺寸: 400x400x155mm
台上安装



G392
艺术盆
尺寸: 590x410x170mm
台上安装



G393
艺术盆
尺寸: 460x460x155mm
台上安装




series 电镀艺术盆系列
Electroplating art basin series




G342

艺术盆
尺寸: 500x395x145mm
台上安装




G343

艺术盆
尺寸: 480x370x130mm
台上安装




G344

艺术盆
尺寸: 450x400x145mm
台上安装




G430

艺术盆
尺寸: 460x460x155mm
台上安装




G431

艺术盆
尺寸: 425x425x140mm
台上安装




G432

艺术盆
尺寸: 425x425x140mm
台上安装




G346

艺术盆
尺寸: 385x385x140mm
台上安装




G347

艺术盆
尺寸: 415x415x135mm
台上安装




G348

艺术盆
尺寸: 505x370x130mm
台上安装




G433

艺术盆
尺寸: 400x400x140mm
台上安装




G434

艺术盆
尺寸: 415x415x135mm
台上安装



G435

艺术盆
尺寸: 420x420x125mm
台上安装




G349

艺术盆
尺寸: 505x370x130mm
台上安装




G350

艺术盆
尺寸: 475x340x145mm
台上安装




G351

艺术盆
尺寸: 600x400x155mm
台上安装




G436

艺术盆
尺寸: 400x400x155mm
台上安装




G437

艺术盆
尺寸: 430x430x130mm
台上安装



G438

艺术盆
尺寸: 430x430x130mm
台上安装




G352

艺术盆
尺寸: 590x410x170mm
台上安装




G353

艺术盆
尺寸: 400x400x155mm
台上安装




G354

艺术盆
尺寸: 400x400x155mm
台上安装



G439

艺术盆
尺寸: 385x385x140mm
台上安装



S440

艺术盆
尺寸: 385x385x140mm
台上安装




G441

艺术盆
尺寸: 600x400x155mm
台上安装







G509
艺术盆
尺寸：500x395x145mm
台上安装



G510
艺术盆
尺寸：415x415x135mm
台上安装



G511
艺术盆
尺寸：415x415x135mm
台上安装




G512
艺术盆
尺寸：425x425x140mm
台上安装




G513
艺术盆
尺寸：425x425x140mm
台上安装




G514
艺术盆
尺寸：425x425x140mm
台上安装




G515
艺术盆
尺寸：415x415x135mm
台上安装




G516
艺术盆
尺寸：415x415x135mm
台上安装




G517
艺术盆
尺寸：455x320x135mm
台上安装




G518
艺术盆
尺寸：455x320x135mm
台上安装




G519
艺术盆
尺寸：455x320x135mm
台上安装



G520
艺术盆
尺寸：500x400x135mm
台上安装




G521
艺术盆
尺寸：480x370x130mm
台上安装




G522
艺术盆
尺寸：425x425x140mm
台上安装




G523
艺术盆
尺寸：450x400x145mm
台上安装




G524
艺术盆
尺寸：600x400x155mm
台上安装




G525
艺术盆
尺寸：600x400x155mm
台上安装




G526
艺术盆
尺寸：415x415x135mm
台上安装




G752
艺术盆
尺寸：500x395x145mm
台上安装



G753
艺术盆
尺寸：420x420x125mm
台上安装



G754
艺术盆
尺寸：635x415x130mm
台上安装



Modern bathroom



G568
柱盆 Pedestal Basin
尺寸: 460x460x820mm



G964
柱盆 Pedestal Basin
尺寸: 410x420x870mm



G965
柱盆 Pedestal Basin
尺寸: 410x420x870mm



S966
柱盆 Pedestal Basin
尺寸: 490x490x820mm



G1032
柱盆 Pedestal Basin
尺寸: 420x420x830mm



G1033
柱盆 Pedestal Basin
尺寸: 290x320x880mm



G1034
柱盆 Pedestal Basin
尺寸: 410x410x910mm



S1035
柱盆 Pedestal Basin
尺寸: 410x410x910mm



G967
柱盆 Pedestal Basin
尺寸: 460x460x820mm



S969
柱盆 Pedestal Basin
尺寸: 610x460x820mm



S970
柱盆 Pedestal Basin
尺寸: 620x510x880mm



G971
柱盆 Pedestal Basin
尺寸: 620x510x880mm



G1036
柱盆 Pedestal Basin
尺寸: 455x440x840mm



G1037
柱盆 Pedestal Basin
尺寸: 460x420x820mm



G1038
柱盆 Pedestal Basin
尺寸: 400x400x840mm



G1039
柱盆 Pedestal Basin
尺寸: 400x400x840mm



G1028
柱盆 Pedestal Basin
尺寸: 490x490x820mm



G1029
柱盆 Pedestal Basin
尺寸: 410x420x870mm



G1030
柱盆 Pedestal Basin
尺寸: 410x420x870mm



G1031
柱盆 Pedestal Basin
尺寸: 410x420x870mm



G1040
柱盆 Pedestal Basin
尺寸: 400x400x820mm



G1041
柱盆 Pedestal Basin
尺寸: 350x280x850mm



G1042
柱盆 Pedestal Basin
尺寸: 410x410x910mm




G1043
柱盆 Pedestal Basin
尺寸: 340x265x840mm



G1044
柱盆 Pedestal Basin
尺寸: 400x400x830mm



G1045
柱盆 Pedestal Basin
尺寸: 400x400x830mm



G1046
柱盆 Pedestal Basin
尺寸: 400x400x830mm



G1047
柱盆 Pedestal Basin
尺寸: 400x400x825mm



G1154
柱盆 Pedestal Basin
尺寸: 400x400x825mm



G1155
柱盆 Pedestal Basin
尺寸: 400x400x840mm



G1156
柱盆 Pedestal Basin
尺寸: 400x400x840mm



G1157
柱盆 Pedestal Basin
尺寸: 400x400x840mm



G1048
柱盆 Pedestal Basin
尺寸: 620 x510x880mm



G1049
柱盆 Pedestal Basin
尺寸: 460x460x840mm



G1050
柱盆 Pedestal Basin
尺寸: 515x375x815mm



G1051
柱盆 Pedestal Basin
尺寸: 440x440x855mm



G1158
柱盆 Pedestal Basin
尺寸: 400x400x840mm



G1159
柱盆 Pedestal Basin
尺寸: 400x400x840mm



G1160
柱盆 Pedestal Basin
尺寸: 400x400x840mm



G1161
柱盆 Pedestal Basin
尺寸: 400x400x840mm




G1052
柱盆 Pedestal Basin
尺寸: 300x460x850mm




G1053
柱盆 Pedestal Basin
尺寸: 400x400x840mm



G1088
柱盆 Pedestal Basin
尺寸: 400x400x840mm



G1089
柱盆 Pedestal Basin
尺寸: 400x400x830mm



G1162
柱盆 Pedestal Basin
尺寸: 400x400x840mm



S1163
柱盆 Pedestal Basin
尺寸: 400x400x840mm

**PEDESTAL
SINK**


WALL-HUNG CLOSET SERIES




WALL-HUNG CLOSET SERIES




LE8501
Collision type flush Wall-hung Closet
Size: 490x370x370mm
P-trap: 180mm




LE8502
Eddy double hole Wall-hung Closet
Size: 590x360x340mm
P-trap: 180mm




LE8503
Washdown Wall-hung Closet
Size: 550x360x390mm
P-trap: 180mm




LE8504
Eddy double hole Wall-hung Closet
Size: 530x360x310mm
P-trap: 180mm




LE8505
Collision type flush Wall-hung Closet
Size: 530x360x300mm
P-trap: 180mm




LE8506
Washdown Wall-hung Closet
Size: 570x380x340mm
P-trap: 180mm




LE8507
Washdown Wall-hung Closet
Size: 570x350x330mm
P-trap: 180mm



LE8508
Washdown Wall-hung Closet
Size: 530x360x320mm
P-trap: 180mm




LE8509
Washdown Wall-hung Closet
Size: 560x350x340mm
P-trap: 180mm




WALL-HUNG CLOSET SERIES




LE8510
Washdown Wall-hung Closet
Size: 560x350x340mm
P-trap: 180mm




LE8511
Washdown Wall-hung Closet
Size: 565x355x410mm
P-trap: 180mm




LE8512
Washdown Wall-hung Closet
Size: 560x360x310mm
P-trap: 180mm




LE8513
Washdown Wall-hung Closet
Size: 510x350x300mm
P-trap: 180mm




LE8514
Collision type flush Wall-hung Closet
Size: 505x360x370mm
P-trap: 180mm




LE8515
Collision type flush Wall-hung Closet
Size: 490x360x240mm
P-trap: 180mm




LE8516
Washdown Wall-hung Closet
Size: 510x360x375mm
P-trap: 180mm



LE8517
Washdown Wall-hung Closet
Size: 560x380x360mm
P-trap: 180mm




LE8518
Rimless Wall-hung Closet
Size: 495x365x300mm
P-trap: 180mm




WALL-HUNG CLOSET SERIES




LE8519
Rimless flushing Wall-hung Closet
Size: 540x370x370mm
P-trap: 180mm



LE8520
Collision type flush Wall-hung Closet
Size: 520x360x310mm
P-trap: 180mm



LE8503MW
Washdown Wall-hung Closet
Size: 550x360x390mm
P-trap: 180mm




LE1101



LE1102

Concealed Water Tank

LE1101
Size: 543x89x1195mm
LE1102
Size: 400x127x1071-1193mm




LE1103



LE1104

Concealed Water Tank

LE1103
Size: 507x90x1170mm
LE1104
Size: 507x140x1070mm





Modern **bathroom**



G1066

挂便 Wall-hung Toilet

尺寸: **480x360x360mm**

排污口中心离墙: 300/400mm



WG1067

挂便 Wall-hung Toilet

尺寸: **480x360x360mm**

排污口中心离墙: 300/400mm



G1068

挂便 Wall-hung Toilet

尺寸: **480x360x360mm**

排污口中心离墙: 300/400mm

WALL HUNG SERIES



G1069

挂便 Wall-hung Toilet

尺寸: **480x360x360mm**

排污口中心离墙: 300/400mm



1070

挂便 Wall-hung Toilet

尺寸: **480x360x360mm**

排污口中心离墙: 300/400mm



1071

挂便 Wall-hung Toilet

尺寸: **480x360x360mm**

排污口中心离墙: 300/400mm

COLOR WALL HUNG TOILET



LE8501GL
Size: 490x370x370mm
P-strap: 180mm



LE8501RGL



LE8501SL



LE8501RGV



LE8501GV



LE8501SV



LE8501RGBV



LE8501GBL



LE8501GM

COLOR WALL HUNG TOILET



LE8501GBV



LE8501RGBL



LE8501GF



LE8517GR
Size: 560x380x360mm
P-strap: 180mm



LE8517GT



LE8517GC



LE8517GF



LE8517GM

WALL HUNG SERIES



G1072

挂便 Wall-hung Toilet
尺寸: **480x360x360mm**
排污口中心离墙: 300/400mm



S1073

挂便 Wall-hung Toilet
尺寸: **480x360x360mm**
排污口中心离墙: 300/400mm



G1074

挂便 Wall-hung Toilet
尺寸: **480x360x360mm**
排污口中心离墙: 300/400mm



G1075

挂便 Wall-hung Toilet
尺寸: **480x360x360mm**
排污口中心离墙: 300/400mm



G1167

挂便 Wall-hung Toilet
尺寸: **480x360x360mm**
排污口中心离墙: 300/400mm



G1168

挂便 Wall-hung Toilet
尺寸: **480x360x360mm**
排污口中心离墙: 300/400mm

COLOR WALL HUNG TOILET



LE8508GF



LE8508GBTV



LE8507GF

Size: 570x350x330mm
P-strap: 180mm



LE8507GT



LE8507GM

LE8508RGBV

Size: 530x360x320mm
P-trap: 180mm



LE8508GBV



LE8508SBV



LE8508RG



LE8508GM



LE8508GH



LE8508G



LE8519PM

Size: 540x370x370mm
P-strap: 180mm



LE8519PV



LE8519PT



G1169

挂便 Wall-hung Toilet
尺寸: **560x360x360mm**
排污口中心离墙: 300/400mm



S1170

挂便 Wall-hung Toilet
尺寸: **560x360x360mm**
排污口中心离墙: 300/400mm



G1171

挂便 Wall-hung Toilet
尺寸: **560x360x360mm**
排污口中心离墙: 300/400mm



G1172

挂便 Wall-hung Toilet
尺寸: **570x350x330mm**
排污口中心离墙: 300/400mm



G1173

挂便 Wall-hung Toilet
尺寸: **570x350x340mm**
排污口中心离墙: 300/400mm



G1174

挂便 Wall-hung Toilet
尺寸: **570x350x340mm**
排污口中心离墙: 300/400mm



G1175

挂便 Wall-hung Toilet
尺寸: **570x350x340mm**
排污口中心离墙: 300/400mm



GW1176

挂便 Wall-hung Toilet
尺寸: **570x350x340mm**
排污口中心离墙: 300/400mm

**WALL HUNG
SERIES**

COLOR WALL HUNG TOILET



LE8508MGN
Size: 530x360x320mm
P-trap: 180mm



LE8508MK



LE8508MGY



LE8508MBK



LE8508BV



LE8508BTV



LE8501MPL



LE8501MSKY



LE8501MYL

COLOR WALL HUNG TOILET



LE8501MBN
Size: 490x370x370mm
P-strap: 180mm



LE8501MK



LE8501MGN



LE8501MDY



LE8501MGY



LE8501MBK



LE8501MBU



LE8501MCF



LE8501MBG

ELECTROPLATED STANDARD TOILET

Modern bathroom



G1004

连体坐便器 One-piece Toilet
尺寸: 700x370x800mm
排污口中心离墙: 300/400mm



G1005

连体坐便器 One-piece Toilet
尺寸: 700x370x800mm
墙排180mm/地排250mm



G1006

连体坐便器 One-piece Toilet
尺寸: 700x385x780mm
排污口中心离墙: 300/400mm



G1007

连体坐便器 One-piece Toilet
尺寸: 695x360x780mm
排污口中心离墙: 300/400mm



G989

分体坐便器 Two-piece Toilet
尺寸: **680x390x930mm**
墙排180mm/地排250mm



G997

分体坐便器 Two-piece Toilet
尺寸: **680x390x930mm**
墙排180mm/地排250mm



G998

连体坐便器 One-piece Toilet
尺寸: **685x380x820mm**
墙排180mm/地排250mm



G999

连体坐便器 One-piece Toilet
尺寸: **760x400x780mm**
墙排180mm/地排250mm

ELECTROPLATED STANDARD TOILET



G1000

连体坐便器 One-piece Toilet
尺寸: **700x390x735mm**
墙排180mm/地排250mm



G1001

连体坐便器 One-piece Toilet
尺寸: **700x370x800mm**
墙排180mm/地排250mm



G1002

连体坐便器 One-piece Toilet
尺寸: **700x385x780mm**
排污口中心离墙: 300/400mm



G1003

连体坐便器 One-piece Toilet
尺寸: **690x380x770mm**
墙排180mm/地排250mm



G1020

连体坐便器 One-piece Toilet
尺寸: **710x370x760mm**
排污口中心离墙: 300/400mm



G1021

连体坐便器 One-piece Toilet
尺寸: **680x370x720mm**
排污口中心离墙: 300/400mm



G1022

连体坐便器 One-piece Toilet
尺寸: **710x380x735mm**
排污口中心离墙: 300/400mm



G1023

连体坐便器 One-piece Toilet
尺寸: **710x390x740mm**
排污口中心离墙: 300/400mm

ELECTROPLATED STANDARD TOILET



G1024

连体坐便器 One-piece Toilet
尺寸: **710x390x740mm**
排污口中心离墙: 300/400mm



G1025

连体坐便器 One-piece Toilet
尺寸: **720x410x780mm**
墙排180mm/地排250mm



G1026

连体坐便器 One-piece Toilet
尺寸: **620x350x700mm**
排污口中心离墙: 300/400mm



G1027

连体坐便器 One-piece Toilet
尺寸: **680x385x620mm**
排污口中心离墙: 300/400mm

ELECTROPLATED
STANDARD TOILET
BLACK COLOR SERIES

BLACK COLOR SERIES



LE8279H
Siphonic One-piece Toilet
Size: 720x370x750mm
S-trap: 300x400mm



LE8279HG
Siphonic One-piece Toilet
Size: 720x370x750mm
S-trap: 300x400mm



LE8279HS
Siphonic One-piece Toilet
Size: 700x370x750mm
S-trap: 300x400mm



LE8238H
Siphonic One-piece Toilet
Size: 680x360x770mm
S-trap: 300x400mm



LE8238HG
Siphonic One-piece Toilet
Size: 680x360x770mm
S-trap: 300x400mm



LE8238HS
Siphonic One-piece Toilet
Size: 680x360x770mm
S-trap: 300x400mm



LE8280H
Siphonic One-piece Toilet



LE8280HG
Siphonic One-piece Toilet



LE8218H
Siphonic One-piece Toilet



LE2018
Size: 470x470x90mm



LE2038
Size: 500x500x90mm



LE208H
Size: 480x480x90mm



LE2138
Size: 495x495x90mm



LE224H
Size: 435x435x90mm



LE227H
Size: 400x400x90mm



LE2048
Size: 510x510x90mm



LE225H
Size: 410x410x90mm



LE2018W
Size: 470x470x90mm



LE2038W
Size: 500x500x90mm



LE208W
Size: 480x480x90mm



LE2138W
Size: 495x495x90mm



ELECTROPLATED TOILET ACCESSORIES

ELECTROPLATED TOILET ACCESSORIES





ELECTROPLATED TOILET ACCESSORIES



ELECTROPLATED TOILET ACCESSORIES



ELECTROPLATED TOILET ACCESSORIES



ELECTROPLATED TOILET ACCESSORIES



ELECTROPLATED FLOOR DRAINERS





**ELECTROPLATED
SWAN
FAUCET**



LUXURY SWAN SERIES SHOWER

ELECTROPLATED FAUCET





F-7001土豪金



F-7001玫瑰金



F-7001宝石蓝




F-7001本色



F-7001黑金刚

CONCEALED SHOWERS







GM-6111
大淋浴花洒 拉丝



GM-6112
大淋浴花洒 拉丝



GM-6113-1
恒温大淋浴花洒 黑色



GM-6114-1
恒温大淋浴花洒



GM-6115-1
大淋浴花洒 枪灰色



GM-6116-1
大淋浴花洒



GM-6117-1
大淋浴花洒 黑色



GM-6118
大淋浴花洒 黑色



GM-6119-1
大淋浴花洒 枪灰色



GM-6120
恒温大淋浴花洒 黑色



GM-6145
大淋浴花洒 拉丝金



GM-6146
大淋浴花洒 拉丝金



GM-6147-1
恒温大淋浴花洒 拉丝金



GM-6148-1
大淋浴花洒 枪灰色



GM-6149
大淋浴花洒 枪灰色



GM-6150-1
大淋浴花洒



GM-6151-1
大淋浴花洒 枪灰色



GM-6152-1
大淋浴花洒 枪灰色



GM-6153-1
大淋浴花洒 拉丝金



GM-6154
大淋浴花洒 枪灰色



GM-6155
大淋浴花洒



GM-6201
浴缸 / 淋浴龙头 拉丝金



GM-6202
浴缸 / 淋浴龙头 枪灰色



GM-6203
浴缸 / 淋浴龙头 拉丝金



GM-6301
暗装淋浴 黑色



GM-6302
暗装淋浴 黑色



GM-6303
暗装淋浴 黑色



GM-6304
暗装淋浴 枪灰色



GM-6305-1
暗装淋浴 黑色



GM-6306
暗装淋浴 黑色



GM-6307-1
暗装淋浴 黑色



GM-6308
暗装淋浴 拉丝金



GM-6309
暗装淋浴 拉丝金



GM-6310
暗装淋浴 拉丝金



GM-6318
暗装淋浴 枪灰色

GM-6319
暗装淋浴 枪灰色



GM-6320
暗装面盆



GM-6321
暗装面盆 枪灰色



GM-6322
暗装面盆 黑色



GM-6323
暗装面盆 拉丝金



GM-6324
暗装面盆



GM-6325
暗装面盆 枪灰色



GM-6326
暗装面盆 黑色



GM-6327
暗装面盆 拉丝金



GM-6328
暗装面盆



GM-6329
暗装面盆



GM-6330
暗装面盆



GM-6311
暗装面盆



GM-6313
喷枪 + 角阀 玫瑰色





GM-6316
喷枪 + 角阀 拉丝金



GM-6317
地漏 拉丝金

LED SHOWER SETS (带灯花洒套装):

Picture								
Model	HM-837001	HM-837002	HM-837003	HM-868001	HM-868002	HM-868003	HM-868004	HM-868002-4
Valve	[5+1]high flow thermostatic valve	[5+1]high flow thermostatic valve	[5+1]high flow thermostatic valve	[5+1]high flow thermostatic valve	[5+1]high flow thermostatic valve	[3+1]high flow hot and cold valve	[5+1]high flow hot and cold valve	[5+1]high flow hot and cold valve
Shower head	700*380*100mm 304SUS,mirror	700*380*100mm 304SUS,mirror	700*380*100mm 304SUS,mirror	600*800*100mm 304SUS,mirror	600*800*100mm 304SUS,mirror	600*800*100mm 304SUS,mirror	600*800*100mm 304SUS,mirror	600*800*100mm 304SUS,mirror
Function:	rainfall+waterfall+ spray mist +water column+hand shower+under spout	rainfall+waterfall+ spray mist +water column+hand shower	rainfall+waterfall+ spray mist +water column+hand shower+under spout+ 4" body jets	rainfall+ spray mist +waterfall+rain curtain+hand shower+under spout	rainfall+waterfall+rain curtain+hand shower+under spout+ 2" body jets	rainfall+waterfall+rain curtain	rainfall+waterfall+rain curtain+ spray mist + 4" body jets	rainfall+waterfall+rain curtain+ 4" body jets+hand shower+under spout
LED:	single color,electricity power Power adapter: 90-250v	single color,electricity power Power adapter: 90-250v	single color,electricity power Power adapter: 90-250v	remote control multi color need electric power shower head+remore controller	remote control multi color need electric power shower head+remore controller	remote control multi color need electric power shower head+remore controller	remote control multi color need electric power shower head+remore controller	remote control multi color need electric power shower head+remore controller
Water flow:	Water flow: 10-60L/min	Water flow: 10-60L/min	Water flow: 10-60L/min	Water flow: 10-60L/min Water pressure: 0.25-0.5mpa	Water flow: 10-60L/min Water pressure: 0.25-0.5mpa	Water flow: 10-60L/min Water pressure: 0.25-0.5mpa	Water flow: 10-60L/min Water pressure: 0.25-0.5mpa	Water flow: 10-60L/min Water pressure: 0.25-0.5mpa
Weight:	N.W.:24.3KGS , G.W.:25.6KGS	N.W.:24KGS , G.W.:25.5KGS	N.W.:30.1KGS , G.W.:31.6KGS	N.W.:37.3KGS , G.W.:40KGS	N.W.:38.6KGS , G.W.:41.5KGS	N.W.:32.5KGS , G.W.:34KGS	N.W.:40.5KGS , G.W.:43.8KGS	N.W.:41.5KGS , G.W.:45.3KGS
Carton size:	75*45*16cm,shower head+others 66*19*28cm,valve	75.5*45*18cm,shower head+ others (15.42KG) 66*19*28cm,valve (8.8KG)	75*45*16cm,shower head 66*19*28cm,valve 37*17*27cm,body jets	88*69*19cm,shower head +others, 29.92KG 66*19*28cm,valve, 8.8KG	88*69*18cm,shower head+others 66*19*28cm,valve 25*20*13cm,body jets	88*69*18cm,shower head 57*19*20cm,valve	88*69*18cm,shower head 37*17*27cm,body jets 66*19*28cm,valve	88*69*18cm,shower head 37*17*27cm,body jets 66*19*28cm,valve
Picture								
Model	HM-868006	HM-868005	HM-868003-1	HM-ZBD012-1	HM-ZBD012-1-M	HM-ZBD012-8	HM-868007	HM-868008
Valve	[4+1]high flow hot and cold valve	[4+1]high flow hot and cold valve	[4+1]round knobs high flow hot and cold valve	[4+1]square knobs high flow hot and cold valve	[4+1]high flow hot and cold valve	[3+1]high flow hot and cold valve	[5+1] cold and hot high flow valve	6 ways 7 handles thermostatic valve
Shower head	600*800*100mm 304SUS,mirror	600*800*100mm 304SUS,mirror	600*800*100mm 304SUS,mirror	600*800*100mm 304SUS,mirror	600*800*100mm 304SUS,mirror	600*800*100mm 304SUS,mirror	600*800*100mm 304SUS,mirror	600*800*100mm 304SUS,mirror
Function:	rainfall+ spray mist +waterfall+rain curtain	rainfall+waterfall+rain curtain+hand shower	rainfall+waterfall+rain curtain+ 4" body jets	rainfall+waterfall+rain curtain+ 4" body jets	rainfall+waterfall+rain curtain+hand shower+under spout	rainfall+waterfall+rain curtain	rainfall+ spray mist +waterfall+rain curtain+hand shower	rainfall+ spray mist +waterfall+rain curtain+body jets +hand shower
Weight:	N.W.:33KGS , G.W.:35.5KGS	N.W.:34KGS , G.W.:37KGS	N.W.:38KGS , G.W.:41.5KGS	N.W.:38KGS , G.W.:41.5KGS	N.W.:35KGS , G.W.:37KGS	N.W.:32.5KGS , G.W.:34KGS	G.W.:39.5KGS	G.W.:46KG
Carton size:	88*69*18cm,shower head 57*19*25cm,valve	88*69*18cm,shower head 57*19*27cm,valve	88*69*18cm,shower head 57*19*25cm,valve 37*17*27cm,body jets	88*69*18cm,shower head 57*19*25cm,valve 37*17*27cm,body jets	88*69*18cm,shower head 57*19*27cm,valve+others	88*69*18cm,shower head 57*19*20cm,valve	/	packed in 3 cartons



ModernoPilipinas
Modern Home Lifestyle

MODERNOPILIPINAS






ModernoPilipinas

Modern Home Lifestyle

MODERNOPILIPINAS












ModernoPilipinas
Modern Home Lifestyle



ModernoPilipinas
Modern Home Lifestyle










MODERNOPILIPINAS






ModernoPilipinas
Modern Home Lifestyle

actual photo of
installed toilet fixtures & accent tiles
by #modernopilipinas

BATHROOM FIXTURES BY
#MODERNOPILIPINAS



ModernoPilipinas



*Contact
Us
Now*
for Your Order



ModernoPilipinas

Furniture & Lighting Fixtures



Dasmariñas, Cavite



(0960) 6816219 / (0916) 4152202



modernopilipinas



Email

modernopilipinas1@gmail.com



Website

www.modernopilipinas.com